

Table 38e

**Dimensions for Spiral Wound Gasket Applications
To ASME B16.20 for use with metric bolts – Class 600lb**

Dimensions in millimetres

Nominal Bore		Centering Ring O/D	Sealing Element O/D	Sealing Element I/D	Inner Ring I/D	Nominal Bore
Inches	Metric					
1/2	15	52.5	31.8	19.1	14.3	1/2
3/4	20	66.5	39.6	25.4	20.7	3/4
1	25	73	47.8	31.8	27	1
1 1/4	32	82.5	60.5	47.8	38.1	1 1/4
1 1/2	25	94.5	69.9	54.1	44.5	1 1/2
2	50	111	85.9	69.9	55.6	2
2 1/2	65	129	98.6	82.6	66.7	2 1/2
3	80	148.5	120.7	101.6	81	3
4	100	192	149.4	120.7	106.4	4
5	125	240	177.8	147.6	131.8	5
6	150	265	209.6	174.8	157.2	6
8	200	319	263.7	225.6	209.6	8
10	250	399	317.5	274.6	260.4	10
12	300	456	374.7	327.2	317.5	12
14	350	491	406.4	362	349.3	14
16	400	564	463.6	412.8	400	16
18	450	612	527.1	469.9	449.3	18
20	500	682	577.9	520.7	500	20
24	600	790	685.8	628.7	603.3	24

Dimensional data supplied by customer and to be used as reference only

Table 38f

**Dimensions for Spiral Wound Gasket Applications
To ASME B16.20 for use with metric bolts – Class 900lb**

Dimensions in millimetres

Nominal Bore		Centering Ring O/D	Sealing Element O/D	Sealing Element I/D	Inner Ring I/D	Nominal Bore
Inches	Metric					
1/2	15	62.5	31.8	19.1	14.2	01-Feb
3/4	20	69	39.6	25.4	20.6	03-Apr
1	25	77.5	47.8	31.8	26.9	1
1 1/4	32	87	60.5	39.6	33.3	1 1/4
1 1/2	25	97	69.9	47.8	41.4	1 1/2
2	50	141	85.9	58.7	52.3	2
2 1/2	65	163.5	98.6	69.9	63.5	2 1/2
3	80	166.5	120.7	95.3	78.7	3
4	100	205	149.4	120.7	102.6	4
5	125	246	177.8	147.6	128.3	5
6	150	287.5	209.6	174.8	154.9	6
8	200	357.5	257.3	222.3	196.9	8
10	250	434	311.2	276.4	246.1	10
12	300	497.5	368.3	323.9	292.1	12
14	350	520	400.1	355.6	320.8	14
16	400	574	457.2	412.8	374.7	16
18	450	638	520.7	463.6	425.5	18
20	500	697.5	571.5	520.7	482.6	20
24	600	837.5	679.5	628.7	590.6	24

Dimensional data supplied by customer and to be used as reference only

Table 38g

**Dimensions for Spiral Wound Gasket Applications
To ASME B16.20 for use with metric bolts – Class 1500lb**

Dimensions in millimetres

Nominal Bore		Centering Ring O/D	Sealing Element O/D	Sealing Element I/D	Inner Ring I/D	Nominal Bore
Inches	Metric					
1/2	15	62.5	31.8	19.1	14.2	1/2
3/4	20	69	39.6	25.4	20.6	3/4
1	25	77.5	47.8	31.8	26.9	1
1 1/4	32	87	60.5	39.6	33.3	1 1/4
1 1/2	25	97	69.9	47.8	41.4	1 1/2
2	50	141	85.9	58.7	52.3	2
2 1/2	65	163.5	98.6	69.9	63.5	2 1/2
3	80	173	120.7	92.2	78.7	3
4	100	209.5	149.4	117.6	97.8	4
5	125	253	177.8	143	124.5	5
6	150	281.5	209.6	171.5	147.3	6
8	200	351.5	257.3	215.9	196.9	8
10	250	434.5	311.2	266.7	246.1	10
12	300	519.5	368.3	323.9	292.1	12
14	350	579	400.1	362	320.8	14
16	400	641	457.2	406.4	368.3	16
18	450	702.5	520.7	463.6	425.5	18
20	500	756	571.5	514.4	476.3	20
24	600	900.5	679.5	616	577.9	24

Dimensional data supplied by customer and to be used as reference only